



SRI KRISHNADEVARAYA UNIVERSITY

Ananthapuramu – 515 003, Andhra Pradesh, India

CENTRAL STORES & MAINTENANCE SECTION

Website Tender/Optical Fiber Connection/2025

Dated: 21-07-2025.

OPTICAL FIBER CONNECTION

The University inviting sealed quotations for the Installation of **Optical Fiber Connection** to Directorate of Evaluation, S.K. University. The details are as follows.

S.No.	Particulars	Quantity
1	D Link 12 Core single Mode Ofc cable (Multi colour)	2000 meters
2	24-Port Gigabit L2+ Managed Switch with 4 10GE SFP+ Slots	01
3	Steel Tension Drop Clamp Fiber Cable lock telecom wire hooks Stainless Pole mounted	100
4	1 GB SFP mouldels	02
5	Supporting messenger cable	2000 meters
6	Geo wire	02
7	3M LC to SC OS2 Fiber Optic Patch Cable Single mode Duplex Optical Patch Cord 9/125 um Fiber Optical Cable LC-SC DX 3 Meter (9.8 ft)	02
8	OFC slicing box	04

Terms & Conditions:

1. The rates quoted by the quotationer shall undertake to Installation of Optical Fiber Connection from the date of approval of the lowest rates.
2. The quotation shall reach to this office by **Registered Post** only within the specified date and any postal delay will not be entertained.
3. The quotationer shall submit the quotation on the original letter head of the firm and also quote GST No. and those who have not registered GST need not to send their quotation.
4. **Only Local Ananthapuramu town Supplier/firm can eligible to supply the above Item.**
5. The sealed cover should be superscribe on the top of the Cover **QUOTATION TO OPTICAL FIBER CONNECTION**, in the name of the Registrar, S.K. University, Ananthapuramu.
6. The last date for receipt of quotation is fixed on **04-08-2025**.
7. The tenders will be opened on the same day at **3.30 pm** and send your representative to present at the time of opening in the regard.
8. The University will reserve its right to reject any or all tenders or to accept any tender wholly or partially according to the lowest price and quality.

REGISTRAR

Registrar
Sri Krishnadevaraya University,
ANANTAPUR-515 003