

## **UGC SCHEME OF**

# Centre for Study of Social Exclusion and Inclusive Policy (CSSEIP)

Sri Krishnadevaraya University, Ananthapuramu

# Tenders/Quotations for Equipment and Furniture

10-03-2022: Invited sealed quotations from reputed firms for purchase of Equipment/Furniture specified in the Schedules from I to IX by the Registrar, Sri Krishnadevaraya University, Ananthapuramu under Contingency Grants of CSSEIP, released by the UGC, New Delhi for the Years 2016-17, 2017-18, 2018-19 and 2019-20 with the following Conditions:

(Vide Reference No. SKU/CSSEIP/Equipment & Furniture/2022, dt. 09-03-2022)

- 1. Tenders/Quotations should be in the name of Registrar, Sri Krishnadevaraya University, Ananthapuramu 515003;
- 2. The Tenders/Quotations should be submitted separately for each Schedule and the sealed covers should be super-scribed as "SKU/CSSEIP/Tenders/Equipment & Furniture/2022 dated: 10-03-2022";
- 3. Price quoted in the Tender/Quotation must be inclusive of GST;
- 4. The last date for Tender/Quotation is 19-03-2022 and the Tender/Quotation should reach the Registrar, Sri Krishnadevaraya University, Ananthapuramu before 4-00 p.m. of 24-03-2022;
- 5. The Tenderers should be able to supply/deliver the Equipment/Furniture within a week against Purchase Order;
- The process for payment of the Invoices should start immediately after satisfactory execution of the Equipment/Furniture; and
- 7. The details of Equipment/Furniture have been provided in the Schedules from I to IX in the following paragraphs.

Note: Tender Extended up to 24-03-2022 before 4.00 P.M.



The Registrar, Sri Krishnadevaraya University, Anantapuramu has been inviting the sealed tenders for the items of Equipment / Furniture specified in the following Tender Schedules. All tenders should be made in English and should be written in both figures and words. The Registrar, S. K. University reserves the right to select the item or to reject it. The Registrar, Sri Krishnadevaraya University, Ananthapuramu also reserves the right to revise or alter the quantity required and the specifications of the equipment mentioned in schedules before acceptance of any tender. Incomplete tenders, amendments and additions to tender after opening or late tenders are liable to be ignored and rejected.

#### **TERMS AND CONDITIONS OF BID & ITS PRICE:**

- 1. The contract shall be for the full quantity as described in the Tender Schedule.
- 2. All duties, taxes and other levies payable by the vendor shall be included in the total price.
- 3. The rates quoted by the bidder shall be fixed for the duration of the contract and shall be included in the total price.
- 4. The prices should be quoted in Indian Rupees only.
- 5. After satisfactory installation, testing and demonstration, training has to be provided to faculty and staff to the satisfaction of the purchaser at vendor's cost.
- 8. The operation and maintenance manuals and lab manuals are to be supplied at vender's cost.
- 9. All essential accessories cost must be included in the price quoted.
- 10. The cost of essential spares needs to be quoted separately. This will be taken to into consideration while bids are evaluated.
- 11. Price bids are to be essentially signed by the vendor or person authorized by him.
- 12. Each bidder shall submit only one quotation. Alternative options, if any, must be quoted in separate tender schedule.

#### **VALIDITY OF QUOTATION / TENDER**

Quotation/Tender shall remain valid for a period of three months after the deadline date specified for submission. The vendor shall extend the validity if required.

#### **BIDDER QUALIFICATIONS**

- 1. Bidder must be a registered company with Sales Tax and Excise Departments and a true copy of the registration documents (GST, PAN, TIN) should be submitted along with the bid.
- 2. The Registrar, Sri Krishnadevaraya University, Anantapur reserves the right to assess the capacity / capability of the suppliers in the overall interest of the Institute without assigning any reason.

#### **EVALUATION OF QUOTATIONS:**

The purchaser will evaluate and compare the quotations determined to be substantially responsive i.e., whether they are

- a) properly signed;
- b) conform to the terms and conditions, and specifications mentioned in this tender.
- c) the quotations unless otherwise specified would be evaluated separately for each item,
- d) If the bidder is not the Original Equipment Manufacturer (OEM) they must Provide an authorization certificate from the Original Equipment Manufacturer, **Specific to this tender** stating that the bidder is an approved agent of OEM and service warranty will be guaranteed by OEM in case the agent's license is aborted or any other reason whatsoever during the warranty period **for all the active components**.

#### **AWARD OF CONTRACT:**

The purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price.

- 1. Notwithstanding the above, the purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract.
- 2. The institution reserves the right to place the orders for individual items with different tenders.

#### Right to Acceptance:

- 1. The Registrar, Sri Krishnadevaraya University, Anantapur does not bind himself / herself to accept the lowest on any tender and reserves to himself/herself the right of accepting the whole or any part of the tender or portion of the quantity offered the tenderer shall supply the same at the rate quoted.
- 2. The bidder, whose bid is accepted, will be notified for the award of contract by the purchaser prior to expiry of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.

#### **DELIVERY CONDITIONS:**

All the goods ordered shall be delivered with proper packing within 8 days from the date of issue of order. All the goods shall be delivered at Sri Krishnadevaraya University, Anantapuramu.

#### **TERMS OF PAYMENT:**

- a) Payment shall be made by the Registrar, Sri Krishnadevaraya University, Anantapuramu, after delivery at the specified location, and after installation, commissioning and satisfactory demonstration of the goods with all specifications and standards to the entire satisfaction of the college.
- b) The bidder may give the details of bank and Account into which the payments are to be made.
- c) Normal commercial warranty/guarantee shall be applicable to the supplied goods.

#### **DELIVERY OF TENDER:**

Bid for schedule of the tender is to be placed in separate envelope, clearly mentioning Schedule No. on it. The Envelope must be super-scribed with the reference No. (SKU/CSSEIP/Tenders/Equipment/2022 dated: 10-03-2022. The sealed tender should be addressed to

The Registrar,
Sri Krishnadevaraya University,
Ananthapuramu – 515 003.
Andhra Pradesh

Bids in sealed covers should reach the above address latest by 4:00 PM hours on 19-03-2022. Tenders submitted after the specified time shall not be considered and no intimation will be sent in this regard.

The University has the right to reject any tender which fails to comply with the above instructions. All tenders should be sent by Registered Post or Speed Post provided in the office. It is the responsibility of the tenderer to see that his tender offer is delivered by the specified time at the above address. All further communication should be addressed to the officer named above and by title only.

#### **OTHER TERMS:**

Tenderer should make their representative available on 19-03-2022 at 4:00 PM at the time of opening tenders in the chambers of Registrar or any other designated place within the University .Note: Tender Extended up to 24-03-2022 before 4.00 P.M.

The tenderer should produce GST-Registration certificate.

Tenderer should be responsible and bear any price escalation within the validity period and also after the indent has been placed till the supply.

Sd/-REGISTRAR

#### **BID PARTICULARS**

1.	Name of the Supplier	:	
2.	Address of the Supplier	:	
3.	Address of the Show Room/Workshop	:	
4.	Display of goods	:	Yes / No
5.	Name and address of the officer to who tender enquiry	m all r	eference shall be made regarding this
	Name :		
	Address :		
	Telephone No. :		

- O

Mobile No.

e-mail

website

#### SRI KRISHNADEVARAYA UNIVERSITY ANANTHAPURAMU

#### **FORMAT OF QUOTATION**

S.No.	No(As given in the	Description Goods / Specifications	Unit	Quoted Unit rate in	Taxes	Qty.	Total Amount in
	Annexure)			Rs.			Figures

Gro	oss Tota	al Cost: Rs	••••••		

We agree to supply the above goods in accordance with the technical specifications for a total contract price of Rs...... (Amount in figures)....... (Rs. Amount in words) within the period specified in the invitation for Quotations.

We also confirm that the normal commercial warrantee / guarantee of .......months shall apply to the offered goods.

Signature of Supplier with seal

### **Tender Schedules**

Registrar, Sri Krishnadevaraya University, Ananthapuramu invites sealed tenders for the supply and installation of Equipment and Furniture as given in the following Schedules:

Schedule No.	Required Items	Quantity
ı	(A) Desktop Computers	2
	(B) Laptop Computers	4
	(C) Scanner	1
	(D) Multi-Function Printers	2
II	Photocopier Machine	1
III	1 KVA UPS	8
IV	(A) Digital SLR Camera	1
	(B) HD Camcorder HC-V785	1
V	(A) Multi-Media Projector	1
	(B) Motorized Projector Screen	1
VI	(A) Seminar Hall Chairs	80
	(B) Dias Table	1
	(C) Dias Chairs	8
VII	Book Racks	8
VIII	(A) Audio Speakers	6
	(B) Audio Mixture	1
	(C) Gooseneck Mic	1
	(D) Hand Mics	2
	(E) Lapel Mics	2
	(F) Audio Amplifier	1
IX	1.5 Ton 5 Star Inverter Split ACs	6

# Schedule – I: (A) Desktop Computer, (B)Laptop Computer, (C) Scanner and (D)Multi-Function Printer

Cale and In		<del>`                                    </del>	Specifications		
Schedule	Model	Quantity Require	Specifications		
		•	11th Gen Intel® Core™ i	5-11400 (12 MB cache, 6 cores, 12	
I (A)	Desktop	2	threads, 2.60 GHz to 4.4	•	
	Computer		Windows 11 Home Singl	•	
	(Make:		Intel® UHD Graphics 730		
	Dell		8 GB, 1 x 8 GB, DDR4, 29		
	Vostro]			h, SATA, HDD, 64 MB cache	
			260W PSU Black EPA cha	•	
			Ports & Slots		
			Wired Keyboard KB216 Black (US/International)		
			Wired Mouse MS116 Black		
			Intel® Wi-Fi 6 2x2 (Gig+) and Bluetooth		
Schedule	Model	Quantity	Specifications		
		Require			
		-	11th Gen Intel® Core™ i	5-11320H (8 MB cache, 4 cores, 8	
I (B)	Laptop	4	threads, up to 4.50 GHz	•	
_	Computer		Windows 11 Home Singl	le Language, English	
	[Make:		Intel® Iris® Xe Graphics		
	HP/DELL]		8 GB, 2 x 4 GB, DDR4, 3200 MHz		
			512 GB, M.2, PCIe NVMe, SSD		
			Platinum Silver		
			Ports & Slots		
			Titan Grey English Interr	national Backlit Keyboard with	
			Numeric Keypad-KeyBoa	ard	
			Power Button		
			Grey Palmrest with Fing	erprint Reader	
			Wireless-Intel® Wi-Fi 6 2	2x2 (Gig+) and Bluetooth 5.1	
			Power65 Watt AC Ada	pter	
			Primary Battery-4 Cell, 5	54 Wh, integrated	
Schedule	Model	Quantity	Sp	pecifications	
		Required	D I	- ···	
1 (0)			Brand	Fujitsu	
I (C)	Scanner	1	Category	Scanner	
			Model	1	
			Print Technology	Jet Pro	
			Functionality	Print, Copy, Scan, Email	
			Supported Media types	A4; A5; A6; B5	
			WIFI	Yes	
			Print Speed	70 ppm	
			Print Resolution	600 ×600 dpi	
			Scanner Type	Sheetfed	
			Maximum Multicopy	70 Sheets	
			System Requirements	Microsoft® Windows® (10, 8.1,	
				7, XP: 32- bit and 64- bit, 2008	
			Woight	R2, 2012 R2, 2016, 2019)	
			Weight	2.7kg	
			Size Sackage	300×172×154 mm	
			Sales Package	1 Scanner	
	<u> </u>		Warranty	1Year	

## Schedule – I(D): Multi-Function Printer

1	Schedule	Mod	el	<b>Quantity Required</b>				
Brand   Hewliet Packard	I (D)	All-i	n-One Printer	2				
Function Type All-in-One Printer  Scan Resolution Optical: Up to 600x600 dpi; Driver Enhanced: Up to 9600x9600 dpi Output File Format Windows: Hi-Compression PDF, Searchable PDF, PDF, JPEG, TIFF, BMP Mac: PDF, JPEG, TIFF, BMP, PNG  Paper Output 100 sheets (face down)  Copy Speed Up to 18/19 cpm (A4 / LTR)  Copy Memory 64 MB (Shared)  Warm up Time 10 Secs or less  Toner Cartridge Cartridge 325 (1600 pages); Bundled cartridge 700 pages  TEC 0.6 kWh/W (Typical Electricity Consumption)  Halftones 256 Levels  Zoom 50-200 % in 10 % increments  Monthly Duty Cycle 8000 pages  Paper Weight 60 to 163g/m2 (cassette)  Recovery Time Copy: 2 secs or less; Print: 3 secs or less  First Printout Time 7.8/7.7 secs. (A4 / LTR)  Scan Type CIS  Copy Resolution Speed Priority Mode: 600x400 dpi; Resolution Priority Mode: 600x600 dpi  First Copy Time 12.0 / 11.8 secs. (A4 / LTR)  Item Code MF3010  Paper Source 150-sheet cassette  Copy Features 2 on 1, ID Card Copy  Copy Size Platen: Up to A4 / LTR  Colour Depth 24 bit  Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight W/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Printer Type Monochrome Laser  Printer Type Monochrome Laser  Compatible Windows X (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows X PG 32/64-bit), Windows	Specification	S						
Scan Resolution Optical: Up to 600x600 dpi; Driver Enhanced: Up to 9600x9600 dpi Output File Format Windows: Hi-Compression PDF, Searchable PDF, PDF, JPEG, TIFF, BMP Mac: PDF, JPEG, TIFF, BMP, PNG Paper Output 100 sheets (face down) Copy Speed Up to 18/19 cpm (A4 / LTR) Copy Memory 64 MB (Shared) Print Memory 64 MB (Shared) Warm up Time 10 Secs or less Toner Cartridge Cartridge 325 (1600 pages); Bundled cartridge 700 pages TEC 0.6 kWh/W (Typical Electricity Consumption) Halftones 256 Levels Zoom 50-200 % in 10 % increments Monthly Duty Cycle 8000 pages Paper Weight 60 to 163g/m2 (cassette) Recovery Time Copy: 2 secs or less; Print: 3 secs or less First Printout Time 7.8/7.7 secs. (A4 / LTR) Scan Type CIS Copy Resolution Speed Priority Mode: 600x400 dpi; Resolution Priority Mode: 600x600 dpi First Copy Time 12.0 / 11.8 secs. (A4 / LTR) Item Code MF3010 Paper Source 150-sheet cassette Copy Features 2 on 1, ID Card Copy Copy Size Platen: Up to A4 / LTR Colour Depth 24 bit Print Speed Up to 18/19 ppm (A4 / LTR) Print Resolution Up to 600x600 dpi, 1200 (equivalent) x 600 dpi Functions Print, Scan, Copy & Fax Weight W/CRG: 8.2 kg; w/o CRG: 7.6 kg Copy Type Monochrome Laser Printer Type Monochrome Laser	Brand		Hewllet Packard					
Output File Format Windows: Hi-Compression PDF, Searchable PDF, PDF, JPEG, TIFF, BMP Mac: PDF, JPEG, TIFF, BMP, PNG  Paper Output 100 sheets (face down)  Copy Speed Up to 18/19 cpm (A4 / LTR)  Copy Memory 64 MB (Shared)  Print Memory 64 MB (Shared)  Warm up Time 10 Secs or less  Toner Cartridge Cartridge 325 (1600 pages); Bundled cartridge 700 pages  TEC 0.6 kWh/W (Typical Electricity Consumption)  Halftones 256 Levels  Zoom 50-200 % in 10 % increments  Monthly Duty Cycle 8000 pages  Paper Weight 60 to 163g/m2 (cassette)  Recovery Time Copy: 2 secs or less; Print: 3 secs or less  First Printout Time 7.8/7.7 secs. (A4 / LTR)  Scan Type CIS  Copy Resolution Speed Priority Mode: 600x400 dpi; Resolution Priority Mode: 600x600 dpi  First Copy Time 12.0 / 11.8 secs. (A4 / LTR)  Item Code MF3010  Paper Source 150-sheet cassette  Copy Features 2 on 1, ID Card Copy  Copy Size Platen: Up to A4 / LTR  Colour Depth 24 bit  Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight W/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Printer Type Windows X (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W  Sleep: Approx. 1.4 W	Function Type		All-in-One Printer					
Mac: PDF, JPEG, TIFF, BMP, PNG  Paper Output 100 sheets (face down)  Copy Speed Up to 18/19 cpm (A4 / LTR)  Copy Memory 64 MB (Shared)  Print Memory 64 MB (Shared)  Warm up Time 10 Secs or less  Toner Cartridge Cartridge 325 (1600 pages); Bundled cartridge 700 pages  TEC 0.6 kWh/W (Typical Electricity Consumption)  Halftones 256 Levels  Zoom 50-200 % in 10 % increments  Monthly Duty Cycle 8000 pages  Paper Weight 60 to 163g/m2 (cassette)  Recovery Time Copy: 2 secs or less; Print: 3 secs or less  First Printout Time 7.8/7.7 secs. (A4 / LTR)  Scan Type CIS  Copy Resolution Speed Priority Mode: 600x400 dpi; Resolution Priority Mode: 600x600 dpi  First Copy Time 12.0 / 11.8 secs. (A4 / LTR)  Item Code MF3010  Paper Source 150-sheet cassette  Copy Features 2 on 1, ID Card Copy  Copy Size Platen: Up to A4 / LTR  Colour Depth 24 bit  Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Priority. Seas (A9 / LTR)  Print Resolution Up to 600x600 dpi, 200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight W/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W  Sleep: Approx. 1.4 W	Scan Resolution		Optical: Up to 600x600 dpi; Driver Enhanced: U	p to 9600x9600 dpi				
Copy Speed Up to 18/19 cpm (A4 / LTR)  Copy Memory 64 MB (Shared)  Print Memory 64 MB (Shared)  Warm up Time 10 Secs or less  Toner Cartridge Cartridge 325 (1600 pages); Bundled cartridge 700 pages  TEC 0.6 kWh/W (Typical Electricity Consumption)  Halftones 256 Levels  Zoom 50-200 % in 10 % increments  Monthly Duty Cycle 8000 pages  Paper Weight 60 to 163g/m2 (cassette)  Recovery Time Copy: 2 secs or less; Print: 3 secs or less  First Printout Time CSan Type CIS  Copy Resolution Speed Priority Mode: 600×400 dpi; Resolution Priority Mode: 600×600 dpi  First Copy Time 12.0 / 11.8 secs. (A4 / LTR)  Item Code MF3010  Paper Source 150-sheet cassette  Copy Features 2 on 1, ID Card Copy  Copy Size Platen: Up to A4 / LTR  Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Up to 600×600 dpi, 1200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight W/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Printer Type Monochrome Laser  Compatible Operating Systems Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W  Sleep: Approx. 1.4 W	Output File Forn	nat	·	, PDF, JPEG, TIFF, BMP				
Copy Memory 64 MB (Shared)  Print Memory 64 MB (Shared)  Warm up Time 10 Secs or less  Toner Cartridge Cartridge 325 (1600 pages); Bundled cartridge 700 pages  TEC 0.6 kWh/W (Typical Electricity Consumption)  Halftones 256 Levels  Zoom 50-200 % in 10 % increments  Monthly Duty Cycle 8000 pages  Paper Weight 60 to 163g/m2 (cassette)  Recovery Time Copy: 2 secs or less; Print: 3 secs or less  First Printout Time 7.8/7.7 secs. (A4 / LTR)  Scan Type CIS  Copy Resolution Speed Priority Mode: 600x400 dpi; Resolution Priority Mode: 600x600 dpi  First Copy Time 12.0 / 11.8 secs. (A4 / LTR)  Item Code MF3010  Paper Source 150-sheet cassette  Copy Features 2 on 1, ID Card Copy  Copy Size Platen: Up to A4 / LTR  Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight W/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Compatible Operating Systems Max: 960 W; During Operation: 450 W; Standby: 2.5 W Sleep: Approx. 1.4 W	Paper Output		100 sheets (face down)					
Print Memory 64 MB (Shared)  Warm up Time 10 Secs or less  Toner Cartridge 255 (1600 pages); Bundled cartridge 700 pages  TEC 0.6 kWh/W (Typical Electricity Consumption)  Halftones 256 Levels  Zoom 50-200 % in 10 % increments  Monthly Duty Cycle 8000 pages  Paper Weight 60 to 163g/m2 (cassette)  Recovery Time Copy: 2 secs or less; Print: 3 secs or less  First Printout Time 7.8/7.7 secs. (A4 / LTR)  Scan Type CIS  Copy Resolution Speed Priority Mode: 600x400 dpi; Resolution Priority Mode: 600x600 dpi  First Copy Time 12.0 / 11.8 secs. (A4 / LTR)  Item Code MF3010  Paper Source 150-sheet cassette  Copy Features 2 on 1, ID Card Copy  Copy Size Platen: Up to A4 / LTR  Colour Depth 24 bit  Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight W/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Printer Type Monochrome Laser  Compatible Operating Systems Max: 960 W; During Operation: 450 W; Standby: 2.5 W Sleep: Approx. 1.4 W	Copy Speed		Up to 18/19 cpm (A4 / LTR)					
Warm up Time10 Secs or lessToner CartridgeCartridge 325 (1600 pages); Bundled cartridge 700 pagesTEC0.6 kWh/W (Typical Electricity Consumption)Halftones256 LevelsZoom50-200 % in 10 % incrementsMonthly Duty Cycle8000 pagesPaper Weight60 to 163g/m2 (cassette)Recovery TimeCopy: 2 secs or less; Print: 3 secs or lessFirst Printout Time7.8/7.7 secs. (A4 / LTR)Scan TypeCISCopy ResolutionSpeed Priority Mode: 600x400 dpi; Resolution Priority Mode: 600x600 dpiFirst Copy Time12.0 / 11.8 secs. (A4 / LTR)Item CodeMF3010Paper Source150-sheet cassetteCopy Features2 on 1, ID Card CopyCopy SizePlaten: Up to A4 / LTRColour Depth24 bitPrint SpeedUp to 18/19 ppm (A4 / LTR)Print ResolutionUp to 600x600 dpi, 1200 (equivalent) x 600 dpiFunctionsPrint, Scan, Copy & FaxWeightw/CRG: 8.2 kg; w/o CRG: 7.6 kgCopy TypeMonochrome LaserPrinter TypeMonochrome LaserCompatible Operating SystemsWindows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows Vista (32/64-bit), Windows Sec. A linuxPower ConsumptionMax: 960 W; During Operation: 450 W; Standby: 2.5 W Sleep: Approx. 1.4 W	Copy Memory		64 MB (Shared)					
Toner Cartridge Cartridge 325 (1600 pages); Bundled cartridge 700 pages  TEC 0.6 kWh/W (Typical Electricity Consumption)  Halftones 256 Levels  Zoom 50-200 % in 10 % increments  Monthly Duty Cycle 8000 pages  Paper Weight 60 to 163g/m2 (cassette)  Recovery Time Copy: 2 secs or less; Print: 3 secs or less  First Printout Time 7.8/7.7 secs. (A4 / LTR)  Scan Type CIS  Copy Resolution Speed Priority Mode: 600x400 dpi; Resolution Priority Mode: 600x600 dpi  First Copy Time 12.0 / 11.8 secs. (A4 / LTR)  Item Code MF3010  Paper Source 150-sheet cassette  Copy Features 2 on 1, ID Card Copy  Copy Size Platen: Up to A4 / LTR  Colour Depth 24 bit  Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight W/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Printer Type Monochrome Laser  Compatible Windows XP (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W Sleep: Approx. 1.4 W	Print Memory		64 MB (Shared)					
TEC 0.6 kWh/W (Typical Electricity Consumption)  Halftones 256 Levels  Zoom 50-200 % in 10 % increments  Monthly Duty Cycle 8000 pages  Paper Weight 60 to 163g/m2 (cassette)  Recovery Time Copy: 2 secs or less; Print: 3 secs or less  First Printout Time 7.8/7.7 secs. (A4 / LTR)  Can Type CIS  Copy Resolution Speed Priority Mode: 600x400 dpi; Resolution Priority Mode: 600x600 dpi  First Copy Time 12.0 / 11.8 secs. (A4 / LTR)  Item Code MF3010  Paper Source 150-sheet cassette  Copy Features 2 on 1, ID Card Copy  Copy Size Platen: Up to A4 / LTR  Colour Depth 24 bit  Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight W/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Printer Type Monochrome Laser  Compatible Windows X (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W Sleep: Approx. 1.4 W	Warm up Time		10 Secs or less					
Halftones 256 Levels  Zoom 50-200 % in 10 % increments  Monthly Duty Cycle 8000 pages  Paper Weight 60 to 163g/m2 (cassette)  Recovery Time Copy: 2 secs or less; Print: 3 secs or less  First Printout Time 7.8/7.7 secs. (A4 / LTR)  Scan Type CIS  Copy Resolution Speed Priority Mode: 600x400 dpi; Resolution Priority Mode: 600x600 dpi  First Copy Time 12.0 / 11.8 secs. (A4 / LTR)  Item Code MF3010  Paper Source 150-sheet cassette  Copy Features 2 on 1, ID Card Copy  Copy Size Platen: Up to A4 / LTR  Colour Depth 24 bit  Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight W/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Printer Type Monochrome Laser  Compatible Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W  Sleep: Approx. 1.4 W	Toner Cartridge		Cartridge 325 (1600 pages); Bundled cartridge 7	700 pages				
Monthly Duty Cycle 8000 pages  Paper Weight 60 to 163g/m2 (cassette)  Recovery Time Copy: 2 secs or less; Print: 3 secs or less  First Printout Time 7.8/7.7 secs. (A4 / LTR)  Scan Type CIS  Copy Resolution Speed Priority Mode: 600x400 dpi; Resolution Priority Mode: 600x600 dpi  First Copy Time 12.0 / 11.8 secs. (A4 / LTR)  Item Code MF3010  Paper Source 150-sheet cassette  Copy Features 2 on 1, ID Card Copy  Copy Size Platen: Up to A4 / LTR  Colour Depth 24 bit  Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight W/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Printer Type Monochrome Laser  Compatible Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W  Sleep: Approx. 1.4 W	TEC		0.6 kWh/W (Typical Electricity Consumption)					
Monthly Duty Cycle 8000 pages  Paper Weight 60 to 163g/m2 (cassette)  Recovery Time Copy: 2 secs or less; Print: 3 secs or less  First Printout Time 7.8/7.7 secs. (A4 / LTR)  Scan Type CIS  Copy Resolution Speed Priority Mode: 600x400 dpi; Resolution Priority Mode: 600x600 dpi  First Copy Time 12.0 / 11.8 secs. (A4 / LTR)  Item Code MF3010  Paper Source 150-sheet cassette  Copy Features 2 on 1, ID Card Copy  Copy Size Platen: Up to A4 / LTR  Colour Depth 24 bit  Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight w/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Compatible Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W  Sleep: Approx. 1.4 W	Halftones		256 Levels					
Paper Weight 60 to 163g/m2 (cassette)  Recovery Time Copy: 2 secs or less; Print: 3 secs or less  First Printout Time 7.8/7.7 secs. (A4 / LTR)  Scan Type CIS  Copy Resolution Speed Priority Mode: 600x400 dpi; Resolution Priority Mode: 600x600 dpi  First Copy Time 12.0 / 11.8 secs. (A4 / LTR)  Item Code MF3010  Paper Source 150-sheet cassette  Copy Features 2 on 1, ID Card Copy  Copy Size Platen: Up to A4 / LTR  Colour Depth 24 bit  Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight W/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Printer Type Monochrome Laser  Compatible Operating Systems Max: 960 W; During Operation: 450 W; Standby: 2.5 W Sleep: Approx. 1.4 W	Zoom		50-200 % in 10 % increments					
Recovery Time Copy: 2 secs or less; Print: 3 secs or less  First Printout Time 7.8/7.7 secs. (A4 / LTR)  Scan Type CIS  Copy Resolution Speed Priority Mode: 600x400 dpi; Resolution Priority Mode: 600x600 dpi  First Copy Time 12.0 / 11.8 secs. (A4 / LTR)  Item Code MF3010  Paper Source 150-sheet cassette  Copy Features 2 on 1, ID Card Copy  Copy Size Platen: Up to A4 / LTR  Colour Depth 24 bit  Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight W/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Printer Type Monochrome Laser  Compatible Operating Systems Wax: 960 W; During Operation: 450 W; Standby: 2.5 W  Sleep: Approx. 1.4 W	Monthly Duty C	ycle	8000 pages					
First Printout Time  7.8/7.7 secs. (A4 / LTR)  Scan Type  CIS  Copy Resolution  Speed Priority Mode: 600x400 dpi; Resolution Priority Mode: 600x600 dpi  First Copy Time  12.0 / 11.8 secs. (A4 / LTR)  Item Code  MF3010  Paper Source  150-sheet cassette  Copy Features  2 on 1, ID Card Copy  Copy Size  Platen: Up to A4 / LTR  Colour Depth  24 bit  Print Speed  Up to 18/19 ppm (A4 / LTR)  Print Resolution  Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions  Print, Scan, Copy & Fax  Weight  W/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type  Monochrome Laser  Printer Type  Compatible  Operating Systems  Max: 960 W; During Operation: 450 W; Standby: 2.5 W Sleep: Approx. 1.4 W	Paper Weight		60 to 163g/m2 (cassette)					
Copy Resolution Speed Priority Mode: 600x400 dpi; Resolution Priority Mode: 600x600 dpi  First Copy Time 12.0 / 11.8 secs. (A4 / LTR)  Item Code MF3010  Paper Source 150-sheet cassette  Copy Features 2 on 1, ID Card Copy  Copy Size Platen: Up to A4 / LTR  Colour Depth 24 bit  Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight W/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Printer Type Monochrome Laser  Compatible Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W Sleep: Approx. 1.4 W	Recovery Time		Copy: 2 secs or less; Print: 3 secs or less					
Copy Resolution Speed Priority Mode: 600x400 dpi; Resolution Priority Mode: 600x600 dpi  First Copy Time 12.0 / 11.8 secs. (A4 / LTR)  Item Code MF3010  Paper Source 150-sheet cassette  Copy Features 2 on 1, ID Card Copy  Copy Size Platen: Up to A4 / LTR  Colour Depth 24 bit  Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight w/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Printer Type Monochrome Laser  Compatible Operating Systems Windows XP (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W Sleep: Approx. 1.4 W	First Printout Tir	me	7.8/7.7 secs. (A4 / LTR)					
First Copy Time 12.0 / 11.8 secs. (A4 / LTR)  Item Code MF3010  Paper Source 150-sheet cassette  Copy Features 2 on 1, ID Card Copy  Copy Size Platen: Up to A4 / LTR  Colour Depth 24 bit  Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight w/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Printer Type Monochrome Laser  Compatible Operating Systems Windows XP (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W Sleep: Approx. 1.4 W	Scan Type		CIS					
Item Code MF3010  Paper Source 150-sheet cassette  Copy Features 2 on 1, ID Card Copy  Copy Size Platen: Up to A4 / LTR  Colour Depth 24 bit  Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight w/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Printer Type Monochrome Laser  Compatible Operating Systems Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W Sleep: Approx. 1.4 W	Copy Resolution	1	Speed Priority Mode: 600x400 dpi; Resolution P	Priority Mode: 600x600 dpi				
Paper Source 150-sheet cassette  Copy Features 2 on 1, ID Card Copy  Copy Size Platen: Up to A4 / LTR  Colour Depth 24 bit  Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight w/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Printer Type Monochrome Laser  Compatible Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W Sleep: Approx. 1.4 W	First Copy Time		12.0 / 11.8 secs. (A4 / LTR)					
Copy Features 2 on 1, ID Card Copy  Copy Size Platen: Up to A4 / LTR  Colour Depth 24 bit  Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight w/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Printer Type Monochrome Laser  Compatible Operating Systems Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W Sleep: Approx. 1.4 W	Item Code		MF3010					
Copy Size Platen: Up to A4 / LTR  Colour Depth 24 bit  Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight w/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Printer Type Monochrome Laser  Compatible Operating Systems Windows XP (32/64-bit), Windows 7 (32/64-bit), Windows XP (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W  Sleep: Approx. 1.4 W	Paper Source		150-sheet cassette					
Colour Depth 24 bit  Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight W/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Printer Type Monochrome Laser  Compatible Operating Systems Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W Sleep: Approx. 1.4 W	Copy Features		2 on 1, ID Card Copy					
Print Speed Up to 18/19 ppm (A4 / LTR)  Print Resolution Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions Print, Scan, Copy & Fax  Weight W/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Printer Type Monochrome Laser  Compatible Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W Sleep: Approx. 1.4 W	Copy Size		Platen: Up to A4 / LTR					
Print Resolution  Up to 600x600 dpi, 1200 (equivalent) x 600 dpi  Functions  Print, Scan, Copy & Fax  Weight  W/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type  Monochrome Laser  Printer Type  Monochrome Laser  Compatible Operating Systems  Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption  Max: 960 W; During Operation: 450 W; Standby: 2.5 W Sleep: Approx. 1.4 W	Colour Depth		24 bit					
Functions Print, Scan, Copy & Fax  Weight W/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Printer Type Monochrome Laser  Compatible Operating Systems Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W Sleep: Approx. 1.4 W	Print Speed		Up to 18/19 ppm (A4 / LTR)					
Weight w/CRG: 8.2 kg; w/o CRG: 7.6 kg  Copy Type Monochrome Laser  Printer Type Monochrome Laser  Compatible Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W Sleep: Approx. 1.4 W	Print Resolution		Up to 600x600 dpi, 1200 (equivalent) x 600 dpi					
Copy Type Monochrome Laser  Printer Type Monochrome Laser  Compatible Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W Sleep: Approx. 1.4 W	Functions		Print, Scan, Copy & Fax					
Printer Type Monochrome Laser  Compatible Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W Sleep: Approx. 1.4 W	Weight		w/CRG: 8.2 kg; w/o CRG: 7.6 kg					
Compatible Operating Systems Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W Sleep: Approx. 1.4 W	Сору Туре		Monochrome Laser					
Operating Systems Windows XP (32/64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux  Power Consumption Max: 960 W; During Operation: 450 W; Standby: 2.5 W  Sleep: Approx. 1.4 W	Printer Type		Monochrome Laser					
Sleep: Approx. 1.4 W	•							
Document Size Platen: Up to A4	Power Consump	· · · · · · · · · · · · · · · · · · ·						
	Document Size							
Interface USB 2.0 Hi-Speed	Interface		USB 2.0 Hi-Speed					
Display 7 Segment (1 digit) LED	Display		7 Segment (1 digit) LED					

# Schedule – II: Photocopier Machine

Schedule	Model	Quantity Required	Specifications	
			Functions	Multi-Function
ll ll	Photocopier	1	Model Name/Number	SHARP
••	•	_	Memory Size	2 GB
	Machine		Weight-mainframe	46.5 kg or less
			Standard input	600
			capacity Sheets	
			Standard output	250
			capacity Sheets	
			Media weight (g/m2)	52-216
			Maximum paper size	A3
			Copy speed	27 Cpm
			First copy time	6.5 seconds or less
			Copy resolution	300 x 600 Dpi
			Zoom range	25-400%
			ID card copy	Supported
			Scan speed	50 lpm
			Quick dials	400 numbers

## Schedule – III: 1 KVA UPS

Schedule	Model	Quantity Required	Specification	
			Brand	NUMERIC
111	III 1KVA		Model & Series, Volts	Digital 1000 Plus V, 24V
111	Portable	8	Туре	Desktop, Portable, Router, PC,
	Desktop			Line Interactive UPS
	UPS		Rating in VA Watts	1000 VA, 600 Watts
	Digital		Battery Module	In- Built Battery Module
	1000+ V		No's of Batteries	12V,7AH*2 No's
			Warranty	UPS-24 Months, Battery-12
				Months
			Dimensions (D*W*H)	350*146*160 in mm
			Weight in kgs	8 Kgs

Schedule – IV: (A) Digital SLR Camera and (B) HD Camcorder HC-V785

Schedule	Model	Quantity Required	Specifications	
		_	Style name	EF S18-55
IV(A)	Digital SLR	1	Pattern Name	Camera
1 2 (3 2)	Camera	_	Brand	CANON
	(Black)		Form Factor	Hand held
			Skill level	Amateur, Professional
			Special Feature	Built-in monaural microphone,
				Sound-recording level adjustable,
				wind filter provided
			Colour	Black
			JPEG quality level	Basic, Fine, Normal
			White balance Settings	Auto
			Shooting Modes	Manual
			Lens Type	Zoom
i			Age Range	Adult
			About this Item:	400 Carrage 11h 24 4 MAD /httph
				MOS Sensor with 24.1 MP (high
				ge prints and image cropping). quency (central frequency):
				•
			<ul> <li>Frequency: 2412 to 2462 MHz. Standard diopter: -2.5 - +0.5m -1 (dpt)</li> <li>ISO: 100-6400 sensitivity range (critical for obtaining grain-free pictures, especially in low light)</li> <li>Image Processor: DIGIC 4+ with 9 autofocus points (important for speed and accuracy of autofocus and burst photography)</li> <li>Video Resolution: Full HD video with fully manual control and selectable frame rates (great for precision and high-quality video work)</li> <li>Connectivity: WiFi, NFC and Bluetooth built-in (useful for remotely controlling your camera and transferring pictures wirelessly as you shoot)</li> <li>Lens Mount: EF-S mount compatible with all EF and EF-S lenses (crop-sensor mount versatile and compact, especially when used with EF-S lenses)</li> </ul>	

## Schedule – IV (B): HD Camcorder HC-V785

Schedule	Model	Quantity	Specifications		
		Required			
			Image Scanner	1/0,91-cm BSI MOS Sensor	
IV(B)	HD	1	Total Pixels	12.76 megapixels	
	Camcorder		Effective Pixels	6.03 megapixels (16:9) (Level	
	HC-V785		(Motion Image)	Shot Function OFF or Normal)	
			Effective Pixels	5.21 megapixels (3:2)	
			(Still Image)		
			Effective Pixels (Still Image)	6.03 megapixels (16:9)	
			Effective Pixels (Still Image)	4.72 megapixels (4:3)	
			F Value	F1.8 (WIDE)/ F3.6(TELE)	
			Standard Illumination	1400 lx	
			Minimum Illumination	2 lx (Scene Mode Low Light	
				1/25), 1 lx (Night Mode (Colour))	
			Focus	Auto/ Manual	
			Intelligent Zoom Off	20x	
			Intelligent Zoom On	50x	
			Digital Zoom	60x / 1500x (The maximum value of zoom magnification can be set into two patterns)	
			White Balance	Auto/White Set/ Sunny/ Cloudy/ Indoor1/Indoor2	
			Shutter Speed: Motion Image	Auto Slow Shutter ON:1/25- 1/8000	
			Shutter Speed: Motion	Auto Slow Shutter OFF:1/50-	
			Image	1/8000	
			Shutter Speed: Still	1/2 - 1/2000	
			Image		
			Irish	Auto/ Manual	
			Image Stabilizer	Hybrid O.I.S+ with active mode,	
				Auto O.I.S. Lock Level Shot	
				Function	
			HDR Movie (Except 4K Mode)	Yes	
			Creative Control (Except 4K Mode)	Miniature Effect, Silent Movie, 8mm Movie, Time Lapse Rec	

## Schedule – V: (A) Multi-Media Projector and (B) Motorized Projector Screen

Schedule	Item Description	Quantity Required		
V(A)	Multi-Media Projector	1		
Sl. No.	Description	Specification of		
1	Make & Model	BENQ		
2	Native Resolution	WXGA (1,280 x 800)		
3	Display Type	Single chip DLP® Technology by Texas Instruments		
4	Brightness	4000 ANSI Lumens		
5	Max. Supported Resolution	WUXGA (1920 x1200) @60Hz		
6	Contrast Ratio	20,000:1		
7	Native Aspect Ratio	16:10		
8	Keystone Correction	Vertical: +/40°		
9	Throw Ratio	1.55 1.86:1		
10	Image Size (Diagonal)	40" 300"		
11	Projection Distance	1.3m 10.2m		
12	Projection Lens	F = 2.42 2.62, f = 22.5 25.79 mm		
13	Zoom Ratio	1.2x		
14	Offset	1,04		
15	Features	3D Ready(DLP link, PC+Video), Direct 3D (HDMI 1.4a), 3D Ma ndatoryFormats supported (top/bottom, right/left, frame se quential)		
16	I/O Connection Ports	VGAIn (15pin DSub) (x2), HDMI Number of Ports 1.4b (x2), S-Video, Composite Video, AudioIn (MiniJack), VGAOut (15pin DSub), AudioOut (MiniJack), RS232, USB miniB (Service)		
17	Lamp Life and Type	5,500 / 7,000 / 10,000 Hours (Normal / Eco. / Dynamic Eco. Mode), 210W		
18	Speakers	2W		
19	Dimensions (W x D x H)	331 x 244 x 105 mm		
20	Weight	2.6 kg		
21	Noise Level	32dB / 29dB (Normal / Eco. Mode)		
22	Power	Supply: AC 100240V, 50/60Hz Consumption: 210W (Eco. Mode), 250W(Normal Mode), <0.5W (Standby)		
23	Warranty	Entry Warranty: 2 years projector / 1 year on lamp or 1.000 hours whichever comes first		
24	Standard Accessories	VGA Cable, User Manual (CD), Quick Start Guide, Warranty Card (by region), Remote Controller (with battery), AC Power Cord		
25	Manufacture Authorization	OEM Authorization need to be provided		

# Schedule – V (B): Motorized Projector Screen

Schedule	Model	Quantity Required	Specifications	
			Туре	Motorized
			Supported Display Technology	1080p and 3D
V(B)	9 feet x 12	1	Mounting Type	Wall Mount
	feet		Accept Ration	4:3
	Motorized		Display Fabric Material	Matte White Finish
	Projector		Length x Width (Inches x Inches)	108 x 144 (4:3)
	Screen		Gain	1.1
	Make :		Lifetime lubricated motor for smooth	Yes
	Elcor		and silent functioning of the Screen	
			Remote	Yes
			Type of Remote	Wireless
			Anti UV Coating	Yes
			Weight (Kgs)	18 Kgs

# Schedule – VI: (A) Seminar Hall Chairs, (B) Dias Table and (C) Dias Chairs

Schedule	Item Description	Quantity Required
	Seminar Hall Chairs	
VI (A)	Specifications:	80
	Auditorium chair with foldable writing pad made in back with 40 density foam, seat with 50 density foam and the side ms Patti with 6 mm thick along with powder coating, wooden painting arms, back covered with ABS, seat and tip up and back fixed with ergonomic design and comfort for long hours seating.  Fabric - foam bound	
	Dias Table	
VI(B)	Specifications:	1
	Straight Dias Table made in pre laminated particle board 25 mm top and understructure with 18 mm in modular structure assemble at site in selected colour with action teas; Size 2400x750x750 mm	
	Dias Chairs	
VI(C)	Specifications:	8
	Imported dias chair with oval pipe and seat and back with cushion in black colour	

## Schedule – VII: Book Racks in CSSEIP Library

Schedule	Item Description	Quantity Required
	Book Racks with 5 Shelves with Glass Doors	
VII	Specifications:	8
	Height; 78 Inches; Width: 33 Inches;	
	Depth: 15 Inches; Gauge: 20;	
	5 Shelves with Glass Doors (5 Door Cases)	

# Schedule – VIII: (A) Audio Speakers (B) Audio Mixture (C) Gooseneck Mic (D) Hand Mics(E) Lapel Mics and(F) Audio Amplifier

Schedule	Item Description	Quantity Required
VIII(A)	Audio Speakers (Make : Ahuja)	6
Sl. No.	Description	Specifications
1	Speaker Type	Main Speaker
2	Application Method	Passive Speaker
3	Frequency Response (Hz)	20-20,000 Hz
4	Sound Pressure Level (SPL) (1w/1m) (dB)	88
5	Normal Impedance (ohm)	8
6	Connectors	Stripped Cable Socket
7	Enclosure	Polycarbonate
8	Mounting	Wall Mount
9	Dimensions (H x W x D) (mm x mm x mm)	300 x 230 x 200
10	Weight (Kg)	3.65
11	Power Rating (Watt)	60
12	AC Power Input	230V-50/60Hz

## VIII (B): Audio Mixture

Schedule		Item Description	Quantity Required
VIII(B)		Audio Mixture	1
Sno	Description	Specifications	
1	Make & Model	Ahuja	
2	Power Output	300W Max., 250W RMS at 10% TH 200W RMS at 2% THD	D, 220W RMS at 5% THD,
3	Output Regulation	≤ 2 dB, no load to full load at 1kHz	
4	Input Channels	$6 \times Mic 0.65 mV/4.7 kΩ$ , $2 \times Aux 100$ $1V/50 kΩ$	0mV/470 kΩ, 1 × Line
5	Frequency Response	50-15,000Hz ±3dB	
6	Signal to Noise Ratio	60dB	
7	Tone Controls	Bass: ±10dB at 100Hz, Treble: ±10dB at 10kHz	
8	Outputs	Preamp 200mV/600Ω, Line 1V/2	lkΩ
9	Speaker Outputs	4Ω, 8Ω, 70V & 100V	
10	Power Supply	AC: DC: 24V (2×12V Car Battery	220-240V 50/60Hz
11	Power Consumption	AC: DC: 6A 460VA	
12	Dimensions	W450 × H160 × D340 mm	
13	Weight	16.0kg	
14	All Features	250 WATTS	
		High Wattage PA Mixer Amplifier	
		• 6 Mic & 2 Aux Inputs.	
		Preamplifier and Line Output fo	_
		Amplifier and for recording the p	_
		Line Input for connecting the output	•
		mixer or permitting SSA-250 to be Amplifier.	used as a Booster Power
		<ul><li>Resettable circuit breaker for pr</li></ul>	otaction against avarland
		and short circuit.	otection against overload
		<ul> <li>Instant transfer to DC power (Ca</li> </ul>	ar Battery) if AC power
		fails.	/ / / / / / / / / / / / / / /
		<ul> <li>Box Speaker/Driver Unit selecto</li> </ul>	r switch. Bass boost
		defeated at Driver Unit position fo	
		units.	
15	Manufacture Authorization	OEM Authorization need to be pro	vided

## VIII (C): Gooseneck Mic

Schedule	Item Description	Quantity Required
VIII(C)	Gooseneck Mic	1
Sl. No.	Description	Specification:
1	Make & Model	Ahuja
2	Receiver	Single Channel Non-Diversity
3	Frequency Response	50Hz-16kHz
4	Polar Pattern (Microphones)	Cardioid
5	Output	Balanced XLR and Unbalanced ¼" Jack
6	Hand & Lapel (Mic)	2 x 1.5V AA
7	Power Req. Receiver	240V AC / 50Hz Adaptor (supplied)
8	All Features	<ul> <li>High-quality UHF conference wireless microphone system.</li> <li>Balanced XLR and unbalanced ¼" output with level control.</li> <li>Professional 21" gooseneck microphone (XR 20 C).</li> <li>LED ring to indicate 'Mic Active' status (XR 20 C).</li> <li>Display for frequency indication.</li> </ul>
9	Manufacture Authorization	OEM Authorization need to be provided

## VIII (D): Hand Mics

Schedule	Item Description	Quantity Required
VIII (D)	Hand Mics	2
Sl. No.	Description	Specification
1	Make & Model	Ahuja
2	Receiver	Dual Channel Non-Diversity
3	Frequency Response	50Hz-16kHz
4	Polar Pattern (Microphones)	Cardioid
4	Output	Individual Channel: XLR / Mix out: ¼" jack
5	Power Req. Hand & Lapel (Mic) Receiver	2 x 1.5V AA 240V AC / 50Hz Adaptor (supplied)
6	All Features	<ul> <li>High-quality UHF duet wireless microphone system.</li> <li>Two microphones can be used at the same time.</li> <li>Balanced XLR and unbalanced ¼" output.</li> <li>Display for frequency indication.</li> </ul>
7	Manufacture Authorization	OEM Authorization need to be provided

VIII (E): Lapel Mics

Schedule	Item Description	Quantity Required
VIII(E)	Lapel Mics	2
Sno	Description	Specifications
1	Make & Model	Ahuja
2	Receiver	Dual Channel Non-Diversity
3	Frequency Response	50Hz-16kHz
4	Polar Pattern (Microphones)	Cardioid
5	Output	Individual Channel: XLR / Mix out: ¼" jack
6	Power Req Hand &	2 x 1.5V AA
7	Lapel (Mic) Receiver	240V AC / 50Hz Adaptor (supplied)
8	All Features	<ul> <li>High-quality UHF duet wireless microphone system.</li> </ul>
		<ul> <li>Two microphones can be used at the same time.</li> <li>Individual channel output with level controls and mix output.</li> <li>Balanced XLR and unbalanced ¼" output.</li> <li>Display for frequency indication.</li> </ul>
9	Manufacture Authorization	OEM Authorization need to be provided

VIII (F): Audio Amplifier

Sched	dule	Item Description	on	Quantity Required
VIII (F) Audio Amplifier		Audio Amplifie	er	1
Sno	Description		Specification of Audio Ampli	fier
1	Make & Mode	el .	Ahuja	
2	POWER RA	ΓING	30W RMS/45W Max.	
3	POWER TAI	PS	30W, 30/20/15/10/5W	
4	IMPEDANC	E/VOLTAGE	8Ω / 100V	
5	FREQUENC	/ RESPONSE	87dB	
6	SPEAKER		Woofer 100mm (4"), Twee	eter 25mm (1")
7	DIMENSIO	NS	W180 × H248 × D140 mm	
8	WEIGHT		2.45kg/2.92kg	
9	All Features		30 Watts 2-Way Compact PA Wall Speace High fidelity 2-Way speaker attractive Black or White place BT denote Black cabinet, and cabinet. Ideal for various indecaves) applications in Airport Restaurants, Lounges, Hospit Comprises of a Water Rese Woofer, a Titanium Dome Two Crossover Network. ASX-312B, ASX-312W are speakers. ASX-312BT and ASX-312W with power taps of 30W, 20W Easy power tap selection to switch knob at the rear.  'U' type bracket for converting the wall speaker.	er system in compact & stic housing. The suffix B & W & WT denote White poor and outdoor (under ts, Banks, Schools, Hotels, tals, Showrooms etc. istant PP coated cone weeter and a 2-way  Now impedance 8Ω  T are for use on 100V line V, 15W, 10W & 5W. hrough a slotted rotary
10	Manufacture .	Authorization	OEM Authorization need to k	oe provided

## Schedule – IX: 1.5 Ton 5 Star Inverter Split AC

Schedule	Item Description		Quantity Required
IX	1.5 Ton 5 Star Inverter Split AC		6
Full Specifi	cations		
Brand		Blue Star/O'General	
Model		1.5 Ton 5 Star Inverter Split AC (IC518DATU	)
Model Nan	ne	IC518DATU	
Туре		Inverter Split	
Capacity		1.5 Ton	
Star Rating		5 Star	
Colours		White	
Cooling Cap	pacity	5180 W	
Compresso	r	Copper	
Refrigerant		R-32	
Operating Modes		Climate Control, Dual User Setting Preferen (Auto/Cool/ Fan / Dry) iFeel, Precision Cooli	•
Dehumidification		Yes	
Condenser Coil		Copper	
Remote Control		Yes	

### **Dimensions**

Indoor W x H x D	960 mm x 320 mm x 215 mm
Indoor Unit Weight	12 kg
Outdoor W x H x D	968 mm x 689 mm x 367 mm
Outdoor Unit Weight	46 kg

#### **Performance features**

Indoor Noise Level	High - 45 dB, Low - 37 dB
Cooling Coverage Area	Up to 165 Sq Ft sq ft
ISEER	5 W/W

### **Power features**

Power Requirement	AC 230 V, 50 Hz
Power Consumption	3620 W